COMLITE LED

# Underwater Fishing Lights Product Catalog

LED FISHING LIGHTS FACTORY IN CHINA

**2026.8 Edition**



# How to Choose Your Light

## STEP 1 · What power do you have?

**12V / 24V**
Boat battery (safe low voltage)

**220V**
Boat generator or shore power

## STEP 2 · How bright? (more watts = brighter)

**8W-80W**
Small boats · shallow water

**90W-600W**
Mid-size boats · most used

**800W+**
Big boats · deep water · professional

## STEP 3 · Pick the light color

**WHITE**
Brightest, widest

**GREEN**
Best all-round for fish

**BLUE**
Better in deep water

**RED**
Best for Saury

## STEP 4 · Four series in this book

1. C Series 220V underwater lights (go in water)  2. B4B060 high power 220V (go in water)
3. 12V/24V battery lights (go in water)  4. Onboard lights (above water only)

## After you choose

Take a photo of the page and send the **MODEL number** to the seller to ask price and order.

The model is the black bold text under the picture (for example: B4B060-C800W, B4B060-300W).

# 1

# C Series · 220V Underwater Lights

For 220V boat generator or shore power · goes IN the water · 360° light



IP68 waterproof

360° light all around

Withstands high voltage up to 300V

Aluminum + acrylic body

White/Green/Blue/Red

Dimming option



## B4B060-C300W

# 300 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | 18x18x33cm | Weight | 3.5 kg |

★ Best for small boats



## B4B060-C400W

# 400 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-265V | Cable | 15 m |
| Size | 18x18x33cm | Weight | 3.5 kg |

★ For burn-problem areas



## B4B060-C600W

# 600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | 18x18x33cm | Weight | 3.5 kg |

★ Dimming option



## B4B060-C800W

# 800 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-265V | Cable | 15 m |
| Size | 18x18x33cm | Weight | 5.1 kg |

★ For burn-problem areas ★ Big-boat favorite



## B4B060-C1200W

# 1200 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | 18x18x49cm | Weight | 5.1 kg |

★ Dimming option



## B4B060-C1600W

# 1600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | 18x18x49cm | Weight | 5.1 kg |

★ Dimming option



## B4B060-C2000W

# 2000 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-265V | Cable | 15 m |
| Size | 18x18x49cm | Weight | 15 kg |

★ Free new lamp if burned within 10 months



## B4B060-C4000W

# 4000 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-265V | Cable | 15 m |
| Size | 18x18x49cm | Weight | 18 kg |

★ Burn-resistant upgrade

★ Free new lamp within 10 months

# 2

# B4B060 Series · 220V High Power

Big boats · deep water · long working hours



Stainless steel + aluminum

600W - 7500W

15 m long cable

360° light



## B4B060-600W

# 600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 34cm | Weight | 8 kg |

★ Stainless steel body



## B4B060-1000W

# 1000 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 50cm | Weight | 14 kg |

★ Stainless steel body



## B4B060-1300W-2

# 1300 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 34cm | Weight | 9 kg |

★ Two-color options (W+G and more)



## B4B060-2600W-2

# 2600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 50cm | Weight | 13 kg |

★ Two-color options (W+G and more)



## B4B060-3000W

# 3000 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 78cm | Weight | 20 kg |

★ Deep water, high power



## B4B060-4000W

# 4000 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 78cm | Weight | 22 kg |

★ Deep water, high power



## B4B060-5000W

# 5000 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 78cm | Weight | 22 kg |

★ Deep water, high power



## B4B060-7500W

# 7500 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 220-240V | Cable | 15 m |
| Size | Dia 15.6cm x L 105cm | Weight | 26 kg |

★ Highest power ★ Big boats, deep water

# 3

# 12V / 24V Battery Lights

Connect straight to the boat battery · safe low voltage





Runs on boat battery

8W - 600W

Dimmer available

Light weight



## B4B060-8W

# 8 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 6 m |
| Size | Dia 3cm x L 18cm | Weight | 0.6 kg |

★ Small and light



## B4B060-30W

# 30 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-48V | Cable | 6 m |
| Size | Dia 3cm x L 18cm | Weight | 0.6 kg |

★ Small and light



## B4B060-20W

# 20 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC/DC 12-24V | Cable | 5 m |
| Size | Dia 4cm x L 20cm | Weight | 0.8 kg |

★ AC/DC both OK



## B4B060-60W

# 60 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | L 34cm | Weight | 0.9 kg |

★ COB chips, very bright



## B4B060-30W-S

# 30 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 6 m |
| Size | Dia 4cm x L 5cm | Weight | 0.7 kg |

★ Very short body ★ 360° + 120° light




## B4B060-60W-12V

# 60 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 6 m |
| Size | Dia 8cm x L 12cm | Weight | 1 kg |

★ 360° + 120° light



## B4B060-80W-12V NEW

# 80 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | Dia 8cm x L 12cm | Weight | 1 kg |

★ NEW model ★ Single color



## B4B060-90W

# 90 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | Dia 8cm x L 29cm | Weight | 1.5 kg |

★ Runs on boat battery



## B4B060-140W

# 140 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | Dia 8cm x L 37cm | Weight | 1.9 kg |

★ Runs on boat battery



## B4B060-200W

# 200 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | Dia 8cm x L 39cm | Weight | 2.5 kg |

★ Runs on boat battery



## B4B060-300W

# 300 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | Dia 8cm x L 47cm | Weight | 3 kg |

★ Runs on boat battery



## B4B060-400W

# 400 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12V | Cable | 5 m |
| Size | Dia 8cm x L 47cm | Weight | 3.3 kg |

★ Runs on boat battery




## B4B060-N150W

# 150 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 5 m |
| Size | Dia 8cm x L 26cm | Weight | 1.3 kg |

★ N series, wide voltage



## B4B060-N250W

# 250 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 5 m |
| Size | Dia 8cm x L 37cm | Weight | 2.2 kg |

★ N series, wide voltage



## B4B060-N350W NEW

# 350 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 5 m |
| Size | Dia 8cm x L 46cm | Weight | 2.8 kg |

★ N series, wide voltage ★ NEW model



## B4B060-N450W

# 450 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 5 m |
| Size | Dia 8cm x L 46cm | Weight | 3.2 kg |

★ N series, wide voltage



## B4B060-N600W

# 600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | DC 12-24V | Cable | 5 m |
| Size | Dia 10cm x L 46cm | Weight | 3.5 kg |

★ N series, wide voltage ★ Biggest 12/24V model

# 4

# Onboard Lights · Above Water

Mount on the boat · lights up water and deck · does NOT go in water



Above-water use

IP65

White/Green/Blue/Red

Super bright



## B4B060-A400W

# 400w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | L 43cm | Weight | 16.5 kg |
| Brightness | 44,000 lm | | |

★ Boat deck light ★ Above water



## B4B060-A800W

# 800w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | L 83cm | Weight | 29 kg |
| Brightness | 88,000 lm | | |

★ Boat deck light ★ Above water



## B4B060-A1200W

# 1200w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | L 124cm | Weight | 38 kg |
| Brightness | 132,000 lm | | |

★ Boat deck light ★ Above water



## B4B060-A1600W

# 1600w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | L 83cm | Weight | 52 kg |
| Brightness | 176,000 lm | | |

★ Boat deck light ★ Above water



## B4B060-E600W

# 600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | Round, Dia 49cm | Weight | 20.5 kg |
| Brightness | 66,000 lm | | |

★ Round disc type ★ Beam angle options



## B4B060-E600W2

# 600 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | Round, Dia 49cm | Weight | 21 kg |
| Brightness | 66,000 lm | | |

★ Round disc type 2



## B4B060-E1200W

# 1200 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | Round, Dia 65cm | Weight | 35 kg |
| Brightness | 132,000 lm | | |

★ Round disc type ★ Beam angle options



## B4B060-E1200W2

# 1200 w

W G B R

| | | | |
|---|---|---|---|
| Voltage | AC 100-265V | Cable | 0.3 m |
| Size | Round, Dia 65cm | Weight | 36 kg |
| Brightness | 132,000 lm | | |


★ Round disc type 2

# Certificates & Exhibition



**100 metera waterproof teat**

The first and only fishing light can pass 100 meters waterproof test in China



**100 metera report**

Chinese goverment did test in national lab




**100 metera waterproof teat**

The first and only fishing light can pass 100 meters waterproof test in China.




**CE certificate**




**FCC certificate**




**ROHS certificate**

**100m waterproof test report · CE / FCC / ROHS certificates**




**Comlite at international fishing equipment exhibitions**

# IMPORTANT · Read Before Use

1

### After turning OFF, keep the lamp IN the water for 3 more minutes

Let the lamp cool down in the water. Pulling it out too fast will burn it out.

2

### NEVER lift or hang the lamp by its cable

Always use a rope to lower and lift the lamp. The cable is only for power. Lifting by cable breaks the cable and loses the lamp.

3

### Not sure which color to choose? Choose GREEN first

Green light is the best all-round color and works in most waters.

4

### NEVER remove the voltage protector from the 220V lamps

The protector stops over-voltage from burning out the lamp. Taking it off can burn the lamp.

★

### Longer cable and dimmers are available

Cable can be made longer. Models C600 / C1200 and others can have a dimmer (adjustable brightness). Ask the seller.

# COMLITE LED LIMITED

Underwater Fishing Lights · Onboard Lights

Choose your model · contact us to order


WeChat: comlite

WhatsApp: 0086 159 8665 8054

Email: sales@comlite-led.com

Web: www.comlite-led.com / www.comlitestore.com



Comlite LED Limited · 2026.8 · Contact: Abbie Tian